

of the Asthma
of this Distemper there are
two Sorts the Dry or humoral;
for the Dry Sort which is a
nervous Sort of Convulsion
of the Lungs; for this bleed in
the arm and give the Solution
of Gum ammon or the same
Gum in powder; with Loaf
Sugar: this Sort is called
the Pleurick.

Receipt for the asthma
℞: Gum ammon. ʒ2:
Bal: peruv. Gutto. Croc gr
ʒ10 Sap Vene ʒ6. Succu Squon
insuscat ʒp. Terabinth ʒp
M. f. B. gr3 to be taken in
this infusion: ℞: recent agreem
on betonic Cherophyll
fenicul hyssop heder terrestr
terest ana ʒ4 Make a tea.

For a Vomiting which is occasioned
by a Convulsion & irritation of
the nerves of the Stomach & not by
acidity: ℞. Gum ammon powder
with Loaf Sugar; which is used in
the Dry Asthma;

For a Contusion or Bruise?
℞. of the leaves of the plant
Bitter Sweet four handfuls: the
powder of Lin Seed. $\mathfrak{z}\mathfrak{ss}$: boil. them
in Greek wine. or hogs Land to
the Consistence of a Cataplasme
which apply warm to the
bruised part: in one night
time it dissolved a tumor
the Bigness of a mans head
alen Syr vol 2 p 197

Bilious Cholick.

℞: Blood freely from the arm
to 10 or 12 \mathfrak{z} : let them drink
Sweet whey give them physick
but such as will purge & dilute
i.e. ℞. Crm tart Dissolve it in
boiling water Sweeten it with
Syr of Solutive roses let him
drink this gradually till it
works down gently but
Effectually after the operation
℞: mint water $\mathfrak{z}\mathfrak{ss}$. Sp. nit \mathfrak{ss}
dulcis. 14 drops Syr white pop-
-ar $\mathfrak{z}\mathfrak{ss}$ and these will perfect
the Cure.

To Eradicate a Stubborn inter-
mitting or tertian Fe. falcem
gr. 3 Rhai gr 4 of this exhibit
a potion once a day for 3
or 4 days & it will wholly
Eradicate an intermittent
when the Bark fails —
this from Mr. Mosley of Had Don

an Excellent Eye Water
℞. Water of a Smiths trough
that has ben long used half a
pint take white Vitriol. burnt
allum. Camphire all reduced
to fine powder. of each a
Scruple. Sugar Scae 20 grs
Bole armoniac one scruple
putt all these into the water
shake it ~~after~~ well
together drop some into the
Eye; if it be too strong or
too weak put in more
or less as the case
Requires.

11

Pills for a Cough
℞. Rad. Liquoriz. Valerian.
Sem anis ana ℥ss. Redige ad
puls. Syr Bal Compt et Soluti
on. Gum arabic q. s. et pilule

the Catarrh or tickling cough
Let the patient take the
Yolk of an Egg beat with a
gill of Syder & well sweetened
with honey. drink it at once
& take in this manner 4
or 5 times in 24 hours. Gum
Storax in powder Every
night is good.

to take a Film of the Eye with
out pain: ℞ an Egg wrap
it up in several linen rags
put it under the embers
& ther let it remain till
it is Roasted so that the who
le may be reduced to fine
powder blow this powder
into the Eye 3 or 4 times
in 24 hours.

For an arterial hemorrhage
℞. a little bit of opium and
thrust into the orifice of the
bleeding artery.

For Ulcers in the Lungs
 Vomit once or twice a week
 with Ipecacuanah Use Balsom
 Capivi & Sincotels Balsom
 the Drinking of Buttermilk
 may be of Service.

For the Chlorosis
 Rx. Scales of Steel or Iron to make
 it to fine powder add one
 quarter part of testaceous
 powder mix them well toge-
 ther & give the patient a
 portion at noon & after
 noon; & at night give a
 portion of testaceous powder
 mixt. with a little Sal Nit
 or Sal prunelle for the fi-
 ver, when the patient is
 much better give the Chal-
 libeate powder only in the fore-
 noon, when they seem to be
 well give it Every other day
 then every third day, for
 some time; this Chalibcate
 powder is good in many
 others Disorders and for
 Every thing where the
 filings of Steel are preservil.

6

For Worms in Children
Give a purg of galap
mcreus dule Soon after the full
Moon & just before the Change
this respect 3 or 4 times. give
between whiles some worm
seed; if the Child be very sick
at the full and Change you
must tarry till this is over;
a flux is a frequent attendant
of the Worm Case. but the
physick is the Cure of that
Symptom; also give Carolina
between whiles; you may
ordinarily know a worm case
by the blowness of the white of
the Eye; & the periodical illness
at full and Change:

For the Dysentery.
℞: Bees wax Bay tallow Resin
& Sperm cetj ana ℥j. Bole
armen; Chalk. & Cinamon
Sang Dracon ana ℥ss. maple
Sugar ¼ lb these being separa
tly powdered mix and make
pills S. D.

of hysterick Disorders
1st of the hysterick ails in Genia
the most General & useful wh-
ich Comes to a Catholicon is what
follows (℞) ℞: Rad. gent. ʒj.
Curcumb. ʒss. the Best myrrh ʒss
pul Glas ʒss. Reduce all to fine
powder grind the Gum myrrh
with a small part of the
pul Glas, that its parts may
be fully Broken & made
very fine: when this is done
mix all together: & grind
them well so that they may
be well incorporated, for
the more you grind it the
better will the medicine be.
when the Case will admit of it
Castor ʒss may be added Sometimes
I also add Gum ammoniacum
if the patient have the hysterick
asthma. Sometimes put in Gum
Gambalum: those to be Varied
put in or left out as you find
occasion. if the patient be Sub-
ject to the fluor albus or fluor
ruber then put in no Castor
& but half the quantity of myrrh
But in all the

alterations still keep the same
ground work; of this potion
about the middle of the fore
noon & middle of the after
noon: & at night 40 drops of
hartmans Elixer: this is to
be given constantly for
months together; those days
that they are worse then ordi
narily give hartmans Elixer
3 or 4 times in 24 hours;
on some times 20 drops Sal. ol
Vol: for a change or Spt Sal
ammoniac: if they have a
fever give testaceous powder
mixt with Sal. Vol. if at the
same time they are troubled
with the fluors: take of the
Roots of Camfrey & Solomon
Sal of each an handful.

Barly malt a pint or more
Boyl these together in water
till the strength be exhausted
then strain it & boyl it away
till when it is cold it will be
of the consistence of honey
let them take 2 Spoonfulls
of this, night & morning

apply to the Back & to the
abdomen over the navel a
plaster of Gum Galbannum
not of the Strained Galbannum for
that is a Cheat being almost
wholly made of Burgundy pitch.
for the plaster take the clea-
nest part of the Gum

The hysterick Cholick
give Liquid Laudum to Ease the
pain if the pain be very hard
it will require a larger portion
to be Exhibited 30 or 40 Drops
if this giveth ease but doth
not make the patient easy
after waiting half an 3 quarters
of an hour give 10 or 15 Drops
more & more in an hour
after if their be need of it.
when once the pain is thus sub-
dued: observe diligently & as
soon as the pain begins to which
will be thas soon as the force of
the opiate is spent then give
10: 15 or 20 Drops so as to
be sufficient to prevent the
coming on of the pain. So order
it that the pain may

never come ¹⁰hard any more
if it should you must have
recourse to large potions again
I have Ben obliged to advance
to 60: 70 or 80 drops but I
much rather keep it under
By Small doses: all this is only
to ease the pain & still the tu-
mult: what follows is to remo-
ve the cause Give once in
24 hours a portion of the
yellow hysterick powder
& one dose of the pill. a por-
tion is 5 or 6 pills as large
as garden pease. and they
may be given at any time
of the day or 24 hours after
the disturbance is & Vomiting
is quieted: the pills are as
follows: R. Sage in fine po-
wder 6 measures Cinne-
amony one measure &
long pepper seeds
one measure:

for the hysterick Cholick
R. Red pepper seeds & seeds of tart in fine powder $\frac{1}{2}$ lb. Bals Peru
 $\frac{1}{2}$ lb: Sensitive Elect $\frac{1}{2}$ lb. M. f. C.

hysterick both as the
℞. aloes ℥ij. asafetida ℥ij. Crocus
powder them. make it up into
a mass for pills with honey or
molasses give of these pills
going to Bed five the first night
4 the next. 3 the next
2 the next. then one Every
night till the Cause is removed
in this Case the Strong Smell
of ammoniac powder will
give ease in a moment But
doth not remove the Cause;
these pills I call the petiole
pills. phlebot is of Service.

The petiole hysterick Powder.
℞. Troches of myrrh grs 15
Castor. Salt of amber & Crocus
ana grs. asafetida grs 2. make a
powder for one dose. or
℞. myrrh. Cassia munda too
a a grs 10. Castor & Salt of amber
& Crocus a a grs 5. make a
powder for one dose.

Yellow hysterick powder
℞. Cinnamon: Rad Gentian: pul
℞. Gla ana ℥ij myrrh ℥ss. Sal
Cathartic ℥ss.

Pilule hystericæ.
℞. Gallanum Strained; assafe
tida. & Gum ammon aa ʒj
Castor; Camphire & Salt
of amber ana grs of amber
5 drops; Bal peruv q; S.
M. pills 12 out of Each dram

Hartmans Elixer
℞. Chochencil powder if fine
put it into a Bottle with Camph
Cut Small put Rum to it or
Spt. of wine Shake it often put
it in a warm place keep it for
use. Elix Camph is made with
Camph and good Crooms

For the Bladder in the Throat
℞. what the Vulger call physick
root & agremony the leaves of
these plants infuse them by the
fire five in wine. internally &
Externally apply the leaves to
the throat; also apply an Emph
astick behind the neck & give
some Gentle Cathartick.
this from D. Hulls practice

For a recent Sprain.
Wheat Bran boiled in
vinegar make a Catapls.

For the Vertigo

after purging R. Sage. mullen,
pegay roots and Cast cut in thin
slices. Bile these together in
water, of which drink a
gill at a time. 3 or 4 times
in 24 hours.

A Certain German physician
has cured a great many of the
Vertigo by the following pills
given for several Days if
I guess right: R. Sacchar Saturni
℥i. ʒi. Serpentin q. s. N. Pills
the dose is 4 or 5 grains, an
Emplaster of flor Sulph; Cum.
alb over applyed to
the Crown of the Head is
excellent.

In a Vertigo after all things
tried in vain I prescribed
after this manner. R. pul
Rac peon ma; ʒij.
flor cynos ʒj. Stevor paron
alb. ʒij. R. Sacchar alb ʒij.
N. f. pulvis. the dose is a
Spoonful twice a day drink-
ing after it a draught of a
Decoction of Sage & Rosemary,

Impregnated with a tincture
of Coffee; it is scarce credi-
ble how much advantage
was found by this Remedy: In
in a months time the patient
patient recovered.

Salt Rhume.
℞. pulvis Glacis & so much
Bol armon as will make the
whole of a flesh Colour. ℞.
pul of cyster Shells or Crabs
Claws; & add to it as much
Salt of wormwood as will
make it a little Saltyish, give
the former powder in the
morning & the latter at
night. ℞. Sarsaparilla roots
and Common Elder in Equal
parts boil these together in
water drink this months
together; if the Scurvy
purge too much put in
more of the Sarsaparilla roots
phlegmy in this case seems
to do no good.

Pro. Rickets. ℞. Red Blood
make a strong tincture give it in
the morning, the dose from 12 to 60
drops to Grone persons and to
Children proportionably less.

Cramp¹⁵ Convulsions.
Phlebotomy in this case is good.
℞. Rosemary an handful; of
pitch pine turpentine a Spoon
full boil these together in mi-
lk. & water a pint of each
boil it till the strength is
Extracted, then turn it with
molasses when it is boiling
if that fails to make it turn
to Curds & whey add a little
Vinegar. Strain it out & give
the whey to drink a gill or
half a pint at a time and
repeat it as often as there
is occasion.

Pro Canker; ℞. Crud Salmonis;
burnt alum; flor Sulph. Cole
armoni. Lau Satur. as much
again of the flor Sulph & Cole
armoni; as the other; mix.
these up in a mortar with
honey & make a Gargle
for the Throat.

Senecio.
℞. mullein boil it in milk
add 5 or 6 gr Sandarum. to
a pint of the decoction given
warm both night and
morning.

16
For the Epilepsy.
Give a vomit once a week
with Lochers pills: give every
night the pulvis glauis:
Every morning native
Cinnamon and frequent the
Same: make a drink of
Sage, mullen, peewy Roots
& Easter, of which drink
one full at a time 3 or 4
times in 24 hours.

For the Strangury.
R. the white of an Egg or two
beat it till it will drop like
water mix it with half a
pint of milk Sweeten it
well with honey & drink
it all at once or two draughts
R. Gum arabick dissolved in
a draught of Small flax an
swers the Same intentions.

For a Surfeit. R. Iron ore pow
dered: bark of Elder Roots
brake Roots pow. Garden
Sullenine white pine bark
bark of asparagus & black be
are root boil those together
let them drink of the
Same.

Pills to purge the Stomach
℞. Ruffus pill ʒj. resin of
jalap & Salt tart ana gr. ʒ
of mint one drop make
them into 5 pills with Elix
proprietas, it makes but
one moderate dose. and
may be taken early in
the morning every 2 or 3
days for 3 or 4 times toge-
ther, this is likewise good
to promote the M., if taken
about the time they ought
to flow.

Pilule hydragoge.
℞. Gamboge gr. ʒ. oil of Juniper
2 Drops mithridate enough
to make them into 5 pills;
or take resin jalap gr. ʒ
gamboge & Salt tart ana
gr. 10; oil of anniseed 3 drops
Bal Capivi. q. s. for 5 pills;
these are good in dropsies
but are only fit for Strong
Constitutions.

Sperma 18 get Pills.

R. Sperma. Cet. $\frac{1}{2}$ white Sugar
Candy in powder $\frac{1}{2}$: grind
these well together and then
with a warm pestle; Syr.
Bals. q. s. to make them into
pills. these are only Balsam
ick and Emollient; with resp
and to the Lungs but the
nary, & good to heal inward
bruises or other injuries, &
are very proper & conveni
ent after delivery; where
persons cannot take the
Sperma, Cet. ⁱⁿ any other
form; 3 or 4 of these for
a dose may be taken
twice a day.

For the heat of Urine.

Give Sal. peruvell. or Sal.
Nit in the decoction of pla
ntain, puslain, or any such
Cool tea, wood Sorrel is good.
Bohe tea is good in a Suppr
sion of urine Especially for
such as have not ben used
to take it for pleasure.

Vinum Stomachicum; Stomach
 Rx. The roots of virginia Snake
 weed, & Gentian a, a $\text{ʒ}3$. galing
 gal, Cloves, Cubeb, mace nut-
 megs. Saffron, ana $\text{ʒ}j$; Cochineal
 $\text{ʒ}ss$, Canary 3 lb. infuse for some
 Days, then Strain for use; this
 is a warm Complication
 & may be of Service to old
 Stomachs and such as are
 troubled with wind & flatu-
 lencies: but it is too hot
 for many & will be apt to
 breed Choler & acrid humors.

Pills Contra Cholick.

Rx. pill ex ductus $\text{ʒ}ss$ Calom
 el, 3 ss Lond. Sandanum gr2
 make them into five pills.

For a Saxation.

R. an Egg beat up with oil
 Terelinth and a little vine-
 gar, is a most useful reme-
 dy for Saxations and
 Satisfies all intentions.

all in Sy. 12,
 P. 202

Pilula Spleneica.

R. Spikenard in fine powder
ʒj. asafoetida Strained & Ens
Venenis ana. ʒss al amber
& drops. Bals pers: gr. S. M.
into pills: or R. Ens Venenis
ʒij. Crocus. long pepper. Virg
inia Snake Root. Spikenard
a: a ʒj. Galbanum ʒij. tinet
myr. gr. S. In all hypocon
driacal disorders & those
also called hysterick: these
are very suitable, and by
continuance for some time
2 or 3 times in a day
3 or 4 to a dose. they will
prevail against the most
obstinate Complaints
of this kind.

A Bitter Stomach powder.
R. powder of Gent: root gr 15
orange peel gr 8. Croc. gr 5.
make them into a powder
for one dose: or. R. Gentn.
root & Bayberry a. gr 10 & a
lingal & Croc a: gr 5 make
a powder for one dose.

20 21
For an anasarca: or common
dropsy: ordinarily the first
symptom before they swell, is
shortness of Breath if they
run &c. and when they lie
down; oppressed at their sto-
machs that makes them un-
easy, being oblig'd to get up
often, this is Caused by the
Water pressing upon the
midriff: also if your finger
is prest hard just below
the Sternum or Breast Bone
it will hurt them; when
you find it so. make up
two small potions of weak
hydragoge purges, of equal
Bignes, keep one by you and
give the other, if it works
but little, the next day
you may give a larger
portion; if it purges of
Serum and the patient is
relieved so as to Breath easy
you may be sure you was
right in your Conjecture,
of a Dropsy.

then you may be a little more
 bold in giving larger potions
 & stronger of the gambouge
 and the Legs begin to Swell
 which puts the matter beyond
 all doubt. If the Patient is
 Swell'd before you are call'd,
 as is generally the case, I
 then observe diligently where
 and how much; press your
 finger upon the Swell'd part
 hard & a long time; if it
 yields to the pressing and
 leaves a large impression
 which remains for a long time,
 you may be confident of its
 being Water; but if the Swelling
 be hard it will not yield to
 the pressure; it is a Purrous
 Swelling; but notwithstanding
 you may try hydragogues
 if the Swelling yield to the
 pressure, but leaves no print
 but springs up suddenly you
 may conclude it to be a fl-
 atulent or Scorbuitick Swell-
 ling; if you find by the Swel-
 ling that it is a true dropsy
 begin as before with a
 small and weak potion,
 and increase the physick,

in Strength and Quantity,
 as you find the Patient can
 bare it: thus you will act
 Safely and be more master
 of your application: I
 have found oftentimes that
 the Small weak potion that
 I gave for tryal was quite
 Enough for the patient;
 what would have ben the
 Sad Consequence had I
 given a potion so Strong
 & Large as I find frequently
 both Safe & necessary: to
 purge Strongly; if the Pati-
 ent will bare, it is much
 the best; for Small Doings in
 this Case is fatal; they are
 purg. to Death, and yet
 dye for want of purging;
 you must purge every
 Day for a week together
 if the patient can bare
 it: notwithstanding the
 Clamour of the people;
 then every 3^d Day, every
 4th day, then every 5th Day;

then once a week; but then
 you must weaken the
 physick. as you find the
 Swelling Comes down; if
 you find by purging that
 the Patient grows Stronger
 instead of weaker you are
 safe in going on with Str-
 ong & frequent purges;
 but if they flag & grow
 weaker the next day, then
 let them rest a day; if
 you find the Stools tinctur-
 ed with Blood you may
 know the purges are too
 strong and excoriate the
 Bowels; in order to keep
 up the strength of the
 Patient in time of the ph-
 ysicks working after the
 Vomiting is over; take the
 yolk of an Egg, beat it up
 with a gill of Syder; or
 metheglin or rum and
 water; and sweeten it with
 in the course of one potion
 give 3 or 4 yolks of Eggs at
 proper distances;

If they are feverish give
the testaceous powder with
Nitr; if Cold as that is most
frequently the Case give them
garlick & also mustard seed &
steep in Cyder; give all the
time torrified, or dryd worm-
wood; If the physick will not
worke to Effect in the last extre-
mity apply large Emplasticks
to the Legs; but the patient is
in great danger of a mortifi-
cation, which will discover
its self by a livid Colour and
by Spots in the Sore like an
approaching Canker; when
So; to Cure, R. wormwood boil it
in a strong lixivium of ashes;
apply a foment of this hot & often
Sometimes they Seem to have the
asthma but this Symptom will
Subside with only carrying of
the water, Some times when
they take the purge, they are so
heated, thereby that they become
feverish, which to prevent;
mix Crm. tart. with the
purge and give them at
night Crm. nitr. Sal prae-
par. or Sp. Nitr. Dulc.

Pilule Emmenagogue. : 263

R. Venice Sope ℥j. Sal. Succin
and Sal prunel. a. a ℥ss. oil
Juniper. 12 drops. make them
into pills.

Pilule, Emmenagogue; to pro. y. m.

R. Borax & myrrh ana ℥j.
Birthwort & Crocus ana 3j.
Savin & Cloves, ana. 2 drops
oil pennyroyal. 1/2 of the
5 opening Roots q. s. to
make pills 10 to 20 ℥j.

Pulvis absorbens.

R. White Chalk, Crabs
Eyes, and fine Loaf Sugar
ana 3j. make a powder
for one dose.

For the Bite of a Snake.

R. Internally, the juice
of horehound & plantain
about half a Spoonful; and
apply Externally, Tobacco
Leaves dist in Rum:

Probatum Est.

27

an artificial Balsam for wounds.
℞. Gum Elemi one part
dissolve over a gentle fire
add q.e. Tereb. Venet. pass
the solution through a linen
Cloath. add 2 parts beef mar-
row; boild & Separated from
its membranes.

at Digestive

℞. Tereb. $\mathfrak{z}\mathfrak{i}$. Vit. ovil.
mix intimately. then incorpo-
rate with $\mathfrak{z}\mathfrak{ss}$. mel. Rosar. —

an astringent.

℞. aloe. myrrh. & leaves
Scordium Reduce to fine
powder ana $\mathfrak{z}\mathfrak{ij}$. Sap. Vent.
 $\mathfrak{z}\mathfrak{j}$. triturate or pound and
add $\mathfrak{z}\mathfrak{ss}$. of the preceding Digestive.
Digestive.

A Sarcotick.

℞. yellow wax, pitch, and
rosin ana $\mathfrak{℥}\mathfrak{ss}$. ol. lin. $\mathfrak{℥}\mathfrak{ss}$
mix all together.

A Basilicon.

Art. 1391. Belliste extols
 the following as the best
 & only remedy for a Gangr-
 ene. ℞ Sphacelus; ℞ Spir.
 Vit. vel aq. fort. ℞ 2.
 argent. viv. ℞ 1. fiat Solutio.
 Cloths dipt in this Solution
 are to be laid on the gan-
 grened part and the dead
 flesh will be readily Sepa-
 rated from the Sound; nor
 is there any occasion; Says
 the author, to think of any
 other medicine to stop a
 gangrene, because there
 has not been ever found
 any remedy else whatever
 that will so Expeditionly
 and effectually do it.

Pulvis Hydragogus
 ℞ cream Tart ʒss. Salap ʒiij.
 Gutt Gamb ʒss. nut meg ʒj.
 this operates as an Emetic and
 Cathartic and cleanses the Viscera

For the Rheumatism;
 R. one Gallon of Cyder, a
 little rusty Iron, horse-radish,
 Elecampane; hopy, and fennel
 Roots; bark of Elder roots, par-
 sely roots, put all into an
 Iron pot. Cover it over
 with Ric dough. let it stand
 in a Cellar nine Days.
 pore it off bottle it up;
 take one gill of this in the
 morning, fasting; Blood warm
 probatum est. M. S.

to cure the Consumption, or
 a bad Cough. R. $\frac{1}{2}$ of the
 Flower of Sulphur, $\frac{1}{4}$ of
 fresh Butter and a pint
 of Molasses; put all together
 into a new Earthen miz-
 zue and stir them well
 together; put it by for use.
 Take a Spoonful of this
 nine Mornings; together.

For the Rheumatism;
Take a Double handful of
Culvers ^{male} Root, and the same
quantity of the inner Bark
of white wood; put them into
three pints of water and Boil
it down to one pint, take
of this Decoction one tea cup
full at a time, three mornings
and then miss three mornings
and then take it three morn-
ings again, then miss three
then take it three mornings
more, the Decoction to be
Sweetened with molasses.

if any ~~part~~ of the joints
have become contracted so that
any Limb has become useless or
Stiff, anoint the part affected
with Barres Grease or the Grease
of a hogs jaw and this will
perfect a Cure.

This from an able physician
Chenango August the 9th 1791

31

For the Catarr use as a
bush the powder of Sage and
Sop & English Lavender ~~and~~ ^{and}
apply) make: Cinamon &
Cloves, (to the crown of the
head) in a silk Bag.

R. Sapo Venet ~~grain~~
Gm. Symplicida. ana. ℥j.
Gm. Camphir ℥ss.
Albes Hepar ℥ij. Symplicida
℥ss. m. f. pill. & addition
for C. N. D. B. D.

But for the Canker
R. one Spoonful of Sum.
one Spoonful of Molasses
and one Tea Spoonful of the
ol Terebinth and simmer
the whole together, and give
one tea spoonful every half
hour, for the Canker
or Black Canker

~~For Bilious Cholick.~~
R. Mace, ^{cloves.} Cinnamon, ^{myrrh.} Saffron.
Ginger, Sal. Nit. aa. $\mathfrak{z}\mathfrak{j}\mathfrak{j}$.
Dissolve Hepat $\mathfrak{z}\mathfrak{j}\mathfrak{j}$, mix
and make a Subtle powder
a Tea Spoonfull is a Dose.
Take once in 2 or 3 hours
untill it purges, then give
less and less untill the disorder
is wholly removed 1. 2. 3.
or 4 Days, as the case shall
require; This powder must
not be given if the pain
arises from Inflammation,
untill that is removed —
from Dott Hall

for the Bloody flux.
I give a tea or Infusion of
the Root of Indigo weed
steeped in milk & water.
Cure.

Octaber 11. 9 1792

of the Asthma	page 1
B	
For a contusion or Bruise	
Bilious Cholick	page 2
hysterick Cholick	page 9
Canker	page 31
Catarrh Do	4
Cramp Convulsion	Do 15
Chlorosis	page 5
Cough Do	4
Consumption	29
D	
Dropsy	page 21
Digestive Do	27
Dysentery Do	6
E	
Eye Water Do	3
Epilepsy Do	16
Hartmans Elix Do	12
F	
Fever intermitting Do	3
Film of the Eye Do	4
G	
Gangrene or mortification	20
H	
hysterick Disorders Do	7
hemorrhage Do	4

86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200

gandice. I page

L

Luxation — D. — 19

P

Pills. Diarctic D. — 26

D. Contra Cholick. D. — 19

D. — hydragoge. D. — 17

Sperma Ceti pills. D. — 18

Pilule Splendida — D. — 20

D. — Emana nagoce D. — 26

D. — hysterick — D. — 12

D. — Absorbens — D. — 26

Powder hyf. D. — 11

R

Rheumatism — D. — 29

Rickets — D. — 14

S

Stomach wine — page — 19

D. — powder — D. — 20

D. — pills — D. — 17

Salt-Rhume — D. — 14

Strangury — D. — 16

Sprain — D. — 12

Sunfit — D. — 16

Sarcotick — D. — 27

T

Tenesmus — D. — 15

U

Uterus — D. — 13

Wetting — D. — 15

Wetness in the Lungs — D. — 18

Wetness in the Feet — D. — 6

Wetness in the Head — D. — 27

hysterick. Joach. Achille. page 11

Harvey Cushing / John Hay Whitney

HISTORICAL LIBRARY

Yale University



Gift of:

Ms. Gail Wine, 2016